

# perfSONAR at your fingertips Open. Extensible. Worldwide

Szymon Trocha, Poznań Supercomputing and Networking Center, PL


UKNOF48, Manchester, 18-19 November 2021

Public



## Heterogeneous world

- The global Research & Education network ecosystem is comprised of multiple networks
- All interconnect but owned and operated by separate organizations
- This complex, heterogeneous set of networks must operate seamlessly from "end to end"
- To support science and research collaborations that are distributed globally



Map source: www.geant.org



## What is perfSONAR?


- perfSONAR is a tool to:
  - Set network performance expectations
  - Make optimal use of the network for applications
  - Find network problems ("soft failures")
  - Help fix these problems
- All in multi-domain environments as problems are all harder when multiple networks are involved
- perfSONAR provides a standard way to publish monitoring data
- Part of the Science DMZ model for supporting efficient data transfers
- This data is interesting to network researchers as well as network operators





## perfSONAR Toolkit


- Network performance comes down to a couple of key metrics:
  - Throughput (e.g. "how much can I get out of the network")
  - Latency (time it takes to get to/from a destination)
  - Packet loss/duplication/order (do they all make it to the other side?)
- But we measure more. And we can get these from a selection of measurement tools – the perfSONAR Toolkit
- The Toolkit is an **open source** implementation and packaging of the perfSONAR measurement infrastructure and protocols
- All components are available as RPMs, DEBs, and CentOS ISO
- Easy to install and configure
- perfSONAR is developed by a partnership of ESnet, Indiana University, Internet2, RNP, University of Michigan
  - And GÉANT community under GN4-3 EU project





## **Bulding meshes**

- Mesh deployment style involves coordinating several nodes
- Nodes can potentially be maintained in different networks
- Nodes share mesh configuration




Source: www.perfsonar.net




## The importance of regular testing

- We can't wait for users to report problems and then fix them
- Important to continually collect, archive, and alert on active test results
- perfSONAR includes tools to
  - describe and configure a topology of tasks
  - define and publish configuration of meshes
  - collect and present monitoring data grids





#### **Extensible architecture**



Source: www.perfsonar.net



## Plug-in architecture

- Opens community involvement in system's extensions
- pScheduler allows integration of new:
  - Tests (ways to describe measurements)
  - Tools (applications to do the measurements)
  - Archivers (ways to store test results)
  - Contexts (measurement environments)
- Well documented REST API with JSON data format
- Plugin development toolkit (PDK)
  - Supports integration of 3rd party tools with pScheduler API
  - Automates building the environment to develop plugins
  - Reduces time and effort



## Worldwide

- ~2000
   advertised
   instances in
   the world
- A component of NRENs and Virtual Organisations
- Many of which available for open testing



## **Example use case**

#### Main actors

- Queens University, Belfast, UK
- ATLAS Project (Institute for Astronomy, University of Hawaii, USA)

### Application

- Astronomy detecting comets https://panstarrs.stsci.edu/
- Large data transfers from experiments / measurements

#### Networks involved

- QUB
- Janet
- GÉANT
- Internet2
- University of Hawaii




Source: panstarrs.stsci.edu



## Example use case (2)

- Problem
  - Approximately 1 in 8 transfers, which typically ran at 4.8 MB/s from Hawaii, were running very slowly, down to about 50-100 KB/s, which was causing transfers to become backlogged
- Investigation -> use perfSONAR traceroute and loss output to troubleshoot
- Observations
  - Test results show drop in performance
  - Loss plots shows slow, steady increase in loss from 24th October to fix around noon on 29th October





## Example use case (3)

- More observations
  - This was an intermittent or "soft" fault
- Problem found
  - One of eight aggregated 100 Gb/s links between London and Birmingham was faulty
  - (very low) error rate not initially seen by NOC, but enough to affect TCP transfers that were hashed onto that link
  - Faulty optic on one interface needed replacement
- (Interim) solution
  - Taking the faulty link out of the aggregate





## perfSONAR in the future

- Archived data integration
  - An archive is a place where visualization retrieves data
  - We have Esmond but there are many good open source alternatives for storing time-series data
  - Move to OpenSearch (open source derived fom Elasticsearch)
- AI
  - Data anomaly analysis
- OS support change
  - Due to CentOS release strategy change



#### More info

- www.perfsonar.net
- docs.perfsonar.net
- www.youtube.com/perfSONARProject/

- www.geant.org/Services/Connectivity\_and\_network/Pages/perfSONAR.aspx
- pmp-central.geant.org/maddash-webui/





# Thank you

Any questions?
Szymon.trocha@psnc.pl

www.geant.org



© GÉANT Association on behalf of the GN4 Phase 3 project (GN4-3). The research leading to these results has received funding from the European Union's Horizon 2020 research and innovation programme under Grant Agreement No. 856726 (GN4-3).



# perfSONAR at your fingertips Open. Extensible. Worldwide

Szymon Trocha, Poznań Supercomputing and Networking Center, Pl

UKNOF48, Manchester, 18-19 November 2021

**Public** 

www.geant.org



The scientific work is published for the realization of the international project co-financed by Polish Ministry of Science and Higher Education in the years 2019 - 2022 from financial resources of the programme entitled "PMW"; Agreement No. 5023/H2020/2019/2